

EFFERBAKTOL 125 GRANULÉS

Effervescent granules of potassium metabisulfite for sulfiting musts and wines

CHARACTERISTICS

Every bag of EFFERBAKTOL 125 GRANULÉS contains 125 grams of pure SO₂.

On contact with must or wine, **EFFERBAKTOL 125 GRANULÉS** naturally effervesces. This process produces a foam on the surface that momentarily retains the granules, thus ensuring effective protection of the top of the tank.

EFFERBAKTOL 125 GRANULÉS is environmentally friendly:

- significant reduction in the volume of waste compared to liquid products: a can with bisulfite residues qualifies as hazardous industrial waste.
- Better working conditions for users.

OENOLOGICAL PROPERTIES

EFFERBAKTOL 125 GRANULÉS is intended for sulfiting at every stage of wine production:

- During the harvest, sulfiting of grape bins and run-off musts without need for mixing.
- On wine, sulfiting of tanks during vinification and ageing.

Thanks to its composition and to its granule form, EFFERBAKTOL 125 GRANULÉS avoids, in most cases, the tedious stage of a pump-over or mixing after sulfiting.

With **EFFERBAKTOL 125 GRANULÉS** mixing of SO₂ is more effective than with any other type of sulfiting.

DOSAGE

The number of bags to be used depends on the concentration of SO₂ and the volume of the container. To determine requirements, refer to the tables below:

Sulfiting of harvest bins with EFFERBAKTOL 125 GRANULÉS:

Number of bags required:

	Sulfiting in g/hL 4.1 g/hL 8.3 g/hL 12.5 g/hL				
4000 kg bin	1	2	3		

	Sulfiting in g/hL						
	2.4 g/hL	4.8 g/hL	7.1 g/hL	9.5 g/hL	11.9 g/hL		
7000 kg bin	1	2	3	4	5		

The calculation corresponds to a yield of approximately 75% (4000 kg of grapes give 30hL of must).

For example: 2 bags of **EFFERBAKTOL 125 GRANULÉS** in a 4000 kg bin of grapes provides 8.3 g/hL of SO₂. It may be necessary to adjust SO₂ upon arrival at the winery.

For smaller bins or for lower dosages, use EFFERBAKTOL 50 GRANULÉS or EFFERBAKTOL 100 GRANULÉS.

20/2014 - 1/2





Sulfiting of tanks of various sizes with EFFERBAKTOL 125 GRANULÉS:

Number of bags required:

		Sulfiting in g/hL						
		1 g/hL	2 g/hL	3 g/hL	4 g/hL	5 g/hL		
	50 hL	0.4	0.8	1.2	1.6	2		
	100 hL 0.8	1.6	2.4	3.2	4			
	150 hL	1.2	2.4	3.6	4.8	6		
	300 hL	2.4	4.8	7.2	9.6	12		

Example: to sulfite a 100 hL tank at 5 g/hL you need 4 bags of EFFERBAKTOL 125 GRANULÉS.

If you need to divide up the bags, use the following guide:

1 bag of **EFFERBAKTOL 125 GRANULÉS** contains 125 g of SO₂, i.e. 300 g of granules.

To obtain 1 g of SO₂ you therefore need 2.5 g of granules.

	Grams of SO ₂									
	1	2	3	4	5	6	7	8	9	10
Weight of granules in grams	2.5	5	7.5	10	12.5	15	17.5	20	22.5	25

INSTRUCTIONS FOR USE

Determine the number of bags required for sulfiting according to the above tables.

In bins, spread the granules over the whole surface of the grapes.

For sulfiting of tanks, sprinkle the granules from the top of the tank, distributing them, as far as possible, over the whole surface of the wine.

Precautions for use:

Product for oenological and specifically professional use.

Use in accordance with current regulations.

INGREDIENTS

Pure potassium metabisulfite E 224 (75%), potassium bicarbonate E 501 (25%)

PACKAGING

Bags of 125 g of SO_2 (300 g of granules) – boxes of 60 bags.

STORAGE

Store unopened, sealed packaging away from light in a dry, odour-free environment. Once opened use rapidly.

Use before best-by date stamped on packaging.

The information provided above is based on our current state of knowledge. This information is non-binding and without guarantee, since the conditions of use are beyond our control. It does not release the user from complying with existing legislation and safety data. This document is the property of SOFRALAB and may not be modified without its agreement.

20/2014 - 2/2