



SIMILIOAK®

An alternative to oak chips



Dose is 10 times lower than with wood chips

Protects wines from premature ageing

Preserves aromatic complexity, structure and roundness



OENOLOGICAL GOALS

- Immediately dissolves active compounds.
- Obtains volume, fat and very supple tannins.
- Easy to use: no residue after use.
- Immediate effect (compared to several days' soaking for wood chips), enabling the aromas and colour of red wines to be protected at an early stage.
- Coats aggressive tannins and reduces dryness and bitterness.



DOSAGE

Recommended dose: 0.2 to 0.6 g/L (i.e., 20 to 60 g/hL) depending on the initial structure and the desired impact.

Maximum legal dose according to current European regulations: 1 g/L.



PACKAGING



**500G
5 KG**



STORAGE

Store unopened, sealed packages away from light in a dry, odour-free environment.

Do not allow to freeze.

Once opened, use rapidly.

The information provided here is based on our current state of knowledge. This information is non-binding and without guarantee, since the conditions of use are beyond our control. It does not release the user from complying with existing legislation and safety data. This document is the property of SOFRALAB and may not be modified without its consent.



INSTRUCTIONS FOR USE

Disperse **SIMILIOAK®** in tepid water (1 kg / 10 L). Incorporate when pumping over.

Precautions for use:

Product for oenological and specifically professional use.

Use in accordance with current regulations.



TEST RESULTS

Figure 1 – Statically obtained organoleptic profile following development tests of the SIMILIOAK® formulation

